

4/23/01

Rockey Milnamow and Katz Ltd
Two Prudential Plaza Suite 4700
Chicago IL 60601

Dear Applicant:

The Box PGPub replacement drawings for application number 09/742,639 received on 3/13/01 by the U. S. Patent and Trademark Office will be included in the application file but **will not** be included for patent publication due to the following reason(s):

1) ☐ Non compliance:

☐ Drawing(s) and/or Figure(s) Missing

☐ Deficiencies in Drawings:

☐ Improper paper size – must be either A4 (21cm x 29.7cm) or 8-1/2" x 11"

☐ Improper margins (each drawing sheet must include a top margin of at least 1 inch, a left side margin of at least 1 inch, a right side margin of at least 5/8 inch, and a bottom margin of at least 3/8 inch)

☐ Not reproducible:

☐ Paper too thin

☐ Glossy pages

☐ Non-white background

☐ Drawing Objection(s)

☐ Missing lead lines, drawing(s) _____

☐ Line quality is too light, drawings(s) _____

☐ More than 1 drawing and not numbered correctly

☐ Non-English text, drawing(s) _____

☐ Excessive text, drawing(s) _____

☐ Photographs capable of illustration, drawing(s) _____

☐ Photographs may not be mounted (must be developed on a sheet of paper meeting the paper size requirement). 37 CFR 1.85(e)

2) ☒ Submission Did Not Meet Fee Requirements

☒ No Fee

☐ Insufficient fee by check

☐ Insufficient funds in deposit account

☐ Declined credit card

☐ Non authorization for charge to deposit account

3) ☐ Untimely Submission

If you desire to have replacement drawings included for patent publication, you must submit **new** drawings, a petition, the petition fee of \$130 and a transmittal letter. The new submission must be submitted to the U. S. Patent and Trademark Office **within the later of one month from the filing date of the application, or fourteen months from the earliest filing date for which a benefit is sought under title 35, United States Code.**

Telephone inquiries should be directed to Customer Service, Office of Initial Patent Examination, at 703-308-1202.

A handwritten signature in cursive script, appearing to read "D. DeWane", is written over a horizontal line.

Signature of Reviewer, Office of Initial Patent Examination